

# SPEEDY, FEATURE- PACKED SINGLE- FUNCTION COLOUR PRINTERS, IDEAL FOR SMALL OFFICES



**i-SENSYS LBP660 Series**  
Fast and highly productive colour  
single-function laser printing from  
feature-packed yet compact  
printers, perfect for small offices



**CONTROL**  
Universal Login Manager



**FAST PRINT SPEED**  
27ppm single sided A4



Touch Panel

**INTUITIVECONTROLS**  
12.7cm touchscreen



**APPLICATION  
LIBRARY**  
customisable on screen  
application



**SECURITY**  
PIN document release



**PRODUCTIVITY**  
Automatic double-sided  
printing

## Customisation

The Canon i-SENSYS LBP664Cx features an Application Library to further increase efficiency by automating and speeding up everyday tasks. Printing stored forms, templates and other basic documents can be undertaken with a single press of a button. The Application Library allows for the creation of a personalised screensaver in standby mode which can display important messages to users. Useful new application functions on the LBP660 series further boost productivity

## Mobile connectivity

Small and medium sized business owners and staff on the go require mobile access to printing and scanning from any device. The Canon i-SENSYS LBP660 Series models ensure printing is only ever a tap away via a versatile range of mobile connection options including AirPrint (iOS) and Mopria (Android) support. There is also a range of tools and options to enhance mobile printing available from the Canon PRINT Business app

## Faster print speeds

Time is crucial for small business owners, so Canon has ensured that its i-SENSYS LBP660 Series printers are ultra-quick with a lightning fast output of up to 27 single-sided A4 pages per minute. Regardless of the speed, there is no compromise on quality thanks to the printers' advanced engine – meaning a high-quality output every time

## Intuitive touchscreen

Operation is simple. Canon i-SENSYS LBP664Cx boasts a 12.7cm LCD colour touch screen offering access to controls with a simple tap. Installation is easy and instantaneous, and the clear layout makes day-to-day control a breeze.

**Canon**

## RANGE FEATURE STEP UP CHART



LBP663Cdw



LBP664Cx

A4 print speed	27ppm	27ppm
Secure PIN print	●	●
Automatic duplex printing	●	●
Display	5 line LCD	12.7cm colour touch screen
Universal Login Manager/uniFLOW Compatibility		●
Application Library		●

## OPTION ACCESSORIES

### Cassette Feeding Module-AF1

- Additional 550 sheet paper cassette, 1unit can be added to main unit.

### Barcode Printing Kit-E1E (Available on LBP664Cx)

- Installs bar code fonts for bar code printing. This kit, which is delivered electronically, includes a license access certificate for activation.

## TECHNICAL SPECIFICATIONS

# i-SENSYS LBP660 Series

### PRINTER ENGINE

<b>Print speed</b>	Single sided : Up to 27 ppm (A4) Up to 49 ppm(A5-Landscape) Double sided : Up to 24.5 ipm (A4)
<b>Printing method</b>	Colour laser beam printing
<b>Print resolution</b>	Up to 600 x 600 dpi
<b>Print quality with Image Refinement Technology</b>	Up to 1200 x 1200 dpi
<b>Warm-up time</b>	Approx. 13 seconds or less from power on
<b>First Page Out Time</b>	Colour approx.: 8.6 seconds or less Mono approx.: 7.7 seconds or less
<b>Recommended Monthly Print Volume</b>	750 - 4,000 pages per month
<b>Duty cycle</b>	Max. 50,000 pages per month <sup>1)</sup>
<b>Print margins</b>	5 mm-top, bottom, left and right
<b>Advanced printing features</b>	LBP663Cdw: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app  LBP664Cx: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Barcode Print <sup>2)</sup> Touch & Print (NFC) Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

### MEDIA HANDLING

<b>Paper input (Standard)</b>	250-sheet cassette 50-sheet multi-purpose tray
<b>Paper input (Option)</b>	550-sheet cassette
<b>Paper output</b>	150-sheet
<b>Media types</b>	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Glossy paper, Label, Post card, Envelope
<b>Media sizes</b>	Cassette (Standard): A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 216.0 x 355.6 mm.  Multi-purpose tray: A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 216.0 x 355.6 mm.  Cassette (Optional): A4, A5, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 216.0 x 355.6 mm.
<b>Media weights</b>	Cassette (standard and optional): 60 to 163 g/m <sup>2</sup> (Up to 200 g/m <sup>2</sup> with Glossy paper) Multi-purpose tray: 60 to 176 g/m <sup>2</sup> (Up to 200 g/m <sup>2</sup> with Glossy paper)
<b>Double sided printing</b>	Automatic  Cassette (standard and optional): A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K  Custom size - Min. 176 x 250 mm Max. 215.9 x 355.6 mm 60 to 200 g/m <sup>2</sup>

### GENERAL FEATURES

<b>Power requirements</b>	220-240V (±10%) 50/60Hz (±2Hz)
<b>Power consumption</b>	Maximum: Approx. 1,380W or less Active printing: Approx. 470W Standby: Approx. 17.0W or less Sleep: Approx. 0.6W or less Typical Electricity Consumption (TEC): i-SENSYS LBP660 SERIES = 1.0 kWh/week <sup>8)</sup>  For detailed information relating to Lot26 regulation, please go to: <a href="http://www.canon-europe.com/For_Work/Lot26/index.aspx">http://www.canon-europe.com/For_Work/Lot26/index.aspx</a>

### Noise level

	Sound power <sup>3)</sup> Active: Simplex 63 dB or less / Duplex 64 dB or less Standby: 42 dB or less Sound pressure <sup>4)</sup> Active: Simplex 48 dB / Duplex 49 dB Standby: 28 dB  LBP663Cdw: 437 mm x 469 mm x 313 mm LBP664Cx: 476 mm x 469 mm x 379 mm LBP663Cdw: Approx. 20.7 kg LBP664Cx: Approx. 21.2 kg  Operating environment Temperature: 10 to 30°C (50 to 86°F) Humidity 20 to 80% RH (no condensation)  Control panel LBP663Cdw: 5 Line LCD, 3 LED (Job, Error, Energy saver), Buttons, 10-key numeric keypad LBP664Cx: 12.7 cm LCD Colour Touch Screen
--	--

### CONTROLLER

<b>Processor Speed</b>	800MHz x 2
<b>Memory</b>	1GB
<b>Printer Languages</b>	UFRII, PCL5c <sup>4)</sup> , PCL6, Adobe® PostScript
<b>Fonts</b>	LBP663Cdw: 45 PCL fonts, 136 PS fonts LBP664Cx: 93 PCL fonts, 136 PS fonts
<b>Interface and connectivity</b>	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
<b>Software and Printer Management</b>	LBP663Cdw: Remote User Interface (RUI), Department ID Management, Toner Status Tool, iW Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.  LBP664Cx: Remote User Interface (RUI), Department ID Management, Toner Status Tool, iW Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Universal Log-in Manager / uniFLOW online / uniFLOW online Express / uniFLOW compatibility Application Library Windows® 10 / Windows® 8.1 / Windows® 7 / Server® 2016 / Server® 2012R2 / Server® 2012 / Server® 2008R2 / Server® 2008 Mac OS X version 10.9.5 & up / Mac OS 10.14 & up Linux®/Citrix

### Operating Systems Compatibility

	Windows® 10 / Windows® 8.1 / Windows® 7 / Server® 2016 / Server® 2012R2 / Server® 2012 / Server® 2008R2 / Server® 2008 Mac OS X version 10.9.5 & up / Mac OS 10.14 & up Linux®/Citrix
--	---

### CONSUMABLES

<b>All-in-One cartridges</b>	Cartridge 055 Black (2,300 pages <sup>5)</sup> ) Cartridge 055 H Black (7,600 pages <sup>6)</sup> ) Cartridge 055 Cyan (2,100 pages <sup>6)</sup> ) Cartridge 055 H Cyan (5,900 pages <sup>6)</sup> ) Cartridge 055 Magenta (2,100 pages <sup>6)</sup> ) Cartridge 055 H Magenta (5,900 pages <sup>6)</sup> ) Cartridge 055 Yellow (2,100 pages <sup>6)</sup> ) Cartridge 055 H Yellow (5,900 pages <sup>6)</sup> )
------------------------------	--

### ACCESSORIES/OPTIONS

<b>Items</b>	CST.Feeding Module-AF1 (550-sheet cassette) Barcode Printing Kit-E1E MiCard Attachment Kit-B1
--------------	---

#### Notes:

- <sup>1)</sup> Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- <sup>2)</sup> Accessory - Barcode Printing Kit-E1E is required
- <sup>3)</sup> Declared noise emission in accordance with ISO 9296
- <sup>4)</sup> Commands supported only. Third party driver or direct printing from application required.
- <sup>5)</sup> Web distribution only
- <sup>6)</sup> Based on ISO/IEC 19752 .
- <sup>7)</sup> Printer ships with starter cartridge (Black: 1,200, C/M/Y: 1,200 pages)
- <sup>8)</sup> As per US ENERGY STAR® version 2.0.

# SPEEDY, FEATURE-PACKED SINGLE-FUNCTION COLOUR PRINTERS, IDEAL FOR SMALL OFFICES

Fast and highly productive colour single-function laser printing from feature-packed yet compact printers, perfect for small offices



## PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS LBP663Cdw	3103C008AA	4549292122060
i-SENSYS LBP664Cx	3103C001AA	4549292121995

## ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
Cassette Feeding Module-AF1	0732A032AA	4549292077278
MiCard Attachment kit-B1	5146B002AA	4549292027235
Barcode Printing Kit-E1E	5143B002AA	N/A (e-delivery)

## CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 055 Black	3016C002AA	4549292124699
Cartridge 055 H Black	3020C002AA	4549292124842
Cartridge 055 Yellow	3013C002AA	4549292124606
Cartridge 055 H Yellow	3017C002AA	4549292124729
Cartridge 055 Magenta	3014C002AA	4549292124637
Cartridge 055 H Magenta	3018C002AA	4549292124767
Cartridge 055 Cyan	3015C002AA	4549292124668
Cartridge 055 H Cyan	3019C002AA	4549292124804

Canon Inc.  
canon.com

Canon Europe  
canon-europe.com

UK English Edition  
© Canon Europa N.V., 2019